



THESE FOUR POPULAR ARCHITECTURAL SERIES FEATURE MULTIPLE DOOR STYLES, GLAZING OPTIONS AND MATERIALS.

Trim Style and Depth Options:

- Trimless Recessed - for 5/8" depth drywall or 3/4" plaster
- Recessed - 3/8" flat trim
- Semi-recessed - 1-1/4", 1-1/2" square edge or 2-1/2", 3", 4", 4-1/2" rolled edge
- Surface-mount square edge
- Surface mount rolled edge upon request



1017F10 with
Optional Lettering
and Painted Black



1013F10



1097V10
with Dark Bronze option



1027V10



1036F16 with Optional
Polished #7



1035S21



1036C70
with Optional Cosmic 10E



1012P48A
Flush Pull standard

AMBASSADOR SERIES: STEEL



PRODUCT DETAILS:

Trim & Door Material: Door and square edge trim styles - 20 gauge cold rolled steel. Rolled edge trim styles - 18 gauge.

Tub Material: Cold rolled steel

Finish: White powder coat

ADDITIONAL OPTIONS

Powder Coat Finishes: Several other colors to select from

ACADEMY SERIES: ALUMINUM



PRODUCT DETAILS:

Trim & Door Material: .040", .050 or .070 trim and .040 gauge door aluminum

Tub Material: White powder coated cold rolled steel. Surface mount models are clear anodized aluminum.

Door & Trim Finish: Clear anodized

ADDITIONAL OPTIONS

Optional Materials: .040" aluminum Tub (Non-Rated Use)

Optional Finishes: .050" dark bronze anodized

COSMOPOLITAN SERIES: STAINLESS STEEL



PRODUCT DETAILS:

Trim & Door Material: Door and square edge trim styles - 20 gauge 304 stainless steel. Rolled edge trim styles - 18 gauge 304 stainless.

Tub Material: White powder coated cold rolled steel. Surface mount models have 304 stainless sides and back.

Door & Trim Finish: #4 stainless

ADDITIONAL OPTIONS

Optional Finishes: #6, #7, #8 stainless

PANORAMA SERIES: FRAMELESS ACRYLIC DOOR



PRODUCT DETAILS:

A frameless door of clear polycarbonate textured acrylic. Textured models available in 3 background colors with choice of lettering. This cabinet gives you the same construction as the Ambassador, Academy and Cosmopolitan cabinets with a completely different door look. Select from clear, black, white, or red acrylic door with contrasting lettering in a range of trim styles.

Trim Material: Cold rolled steel, stainless steel, aluminum

Tub Material: White powder coated cold rolled steel. Tub of stainless steel and aluminum surface mount models are same material as trim. See above models for details.



AMBASSADOR, ACADEMY, COSMOPOLITAN AND PANORAMA

COMPATIBLE EXTINGUISHERS	STEEL	ALUMINUM	STAINLESS STEEL	TRIM PROJECTION	TUB I.D.			FRAME O.D.		WALL OPENING: NON-RATED [FIRE-RATED]			
					A (W)	B (H)	C (D)	E	F	WIDTH	HEIGHT	DEPTH	
Cosmic 2.5-6 Galaxy 2.5-5.5 Mercury 2.5-5	8114W	8124W†	8134W†	Trimless 5/8" Drywall‡	9"	18"	5-½"	-	-	10" [11-⅝"]	19" [20-⅝"]	5-⅝"	[6-⅜"]
	8115	8125	8135	3/8" Flat Trim				5-⅜"	[6-⅞"]				
	8116	8126	8136	1-½" Square				4-⅛"	[5-⅜"]				
	8117	8127	8137	2-½" Rolled				3-⅛"*	[4"]*				
	8113	8123	8133	Surface Mount Sq.	12-⅜"	21-⅜"	6"	-	-	-			
Cosmic 2.5-5 Galaxy 2.5-5.5 Mercury 2.5 & 5	1710†	1720†	1730†	2-¼" Square	10-½"	24"	5"	13-⅞"	27-⅜"	11-½" [12-⅜"]	25" [26-⅝"]	3"	[4"]
Cosmic 2.5-6 Galaxy 2.5-5.5 Mercury 2.5-5 (Mount 6lb to tub)	1815	1825	1835	3/8" Flat Trim			5-½"					5-⅜"	[6-⅞"]
	1816	1826	1836	1-½" Square								4-⅛"	[5-⅜"]
	1817	1827	1837	3" Rolled								2-⅝"	[3-⅞"]
	1812	1822	1832	4" Rolled, Flush Pull								1-⅞"*	[2-⅞"]*
	1818	1828	1838	4-½" Rolled								1-⅛"*	[2-⅜"]*
Cosmic 2.5-10 Galaxy 2.5-10 Mercury 2.5-5 Sentinel 5	1014W	1024W†	1034W†	Trimless 5/8" Drywall‡	10-½"	24"	6"	-	-	11-½" [12-⅜"]	25" [26-⅝"]	6-⅛"	[6-⅞"]
	1015	1025	1035	3/8" Flat Trim				5-⅞"	[6-⅝"]				
	1016	1026	1036	1-½" Square				4-⅝"	[5-⅞"]				
	1017	1027	1037	3" Rolled				3-⅛"	[4"]				
	1012	1022	1032	4" Rolled, Flush Pull				2-⅜"*	[3-⅜"]*				
	1018	1028	1038	4-½" Rolled				1-⅝"*	[2-⅞"]*				
	1013	1023	1033	Surface Mount Sq.	13-⅞"	27-⅜"	6-½"	-	-	-			
Cosmic, Galaxy** Mercury 2.5 - 15 lb (mount 15.5 lb to tub) Sentinel 5 - 15 lb (mount 10 lb to tub) Grenadier (mount to tub) Saturn (mount to tub) Nebula 270 (mount to tub)	2014W	2024W†	2034W†	Trimless 5/8" Drywall‡	12"	27"	7-¾"	-	-	13" [14-⅝"]	28" [29-⅝"]	7-⅞"	[8-⅞"]
	2015	2025	2035	3/8" Flat Trim				7-⅝"	[8-⅞"]				
	2016	2026	2036	1-¼" Square				6-⅝"	[7-⅞"]				
	2017	2027	2037	2-½" Rolled				5-⅜*	[6-⅞"]*				
	2012	2022	2032	4" Rolled, Flush Pull				4-⅞"*	[5-⅞"]*				
	2018	2028	2038	4-½" Rolled				3-⅞*	[4-⅞"]*				
	2013	2023	2033	Surface Mount Sq.				15-⅜"	30-⅜"			8"	-
	Any Cosmic** Any Galaxy** Any Mercury Any Saturn Grenadier Sentinel 5-15 Nebula 250, 270, 272	3015	3025	3035	3/8" Flat Trim	16"	32"	7-¾"	19-⅜"	35-⅜"	17" [18-⅝"]	33" [34-⅝"]	7-⅝"
3016		3026	3036	1-¼" Square	6-⅝"								[7-⅞"]
3017		3027	3037	2-½" Rolled	5-⅜"*								[6-⅞"]*
3012		3022	3032	4" Rolled, Flush Pull	4-⅞"*								[5-⅞"]*
3018		3028	3038	4-½" Rolled	3-⅜"								[4-⅞"]*
3013		3023	3033	Surface Mount Sq.	19-⅜"	35-⅜"	8"	-	-	-			
(2) Any Cosmic** (2) Any Galaxy** (2) Any Mercury (2) Any Saturn (2) Grenadier (2) Sentinel 5	4015	4025	4035	3/8" Flat Trim	20"	27"	7-¾"	23-⅜"	30-⅜"	21" [22-⅝"]	28" [29-⅝"]	7-⅝"	[8-⅞"]
	4016	4026	4036	1-¼" Square								6-⅝"	[7-⅞"]
	4017	4027	4037	2-½" Rolled								5-⅜"	[6-⅞"]*
	4012	4022	4032	4" Rolled, Flush Pull								4-⅞"*	[5-⅞"]*
	4018	4028	4038	4-½" Rolled								3-⅜"	[4-⅞"]*
	4013	4023	4033	Surface Mount Sq.	23-⅜"	30-⅜"	8"	-	-	-			

*Add 5/8" wall depth for cabinets with aluminum frames. **Cosmic 20 & Galaxy 20 extinguisher must be mounted on the back of the cabinet tub.

† Panorama Style Doors Not Available ‡ Trimless models may be installed before drywall - See submittal and installation instructions for more information.

SEE PAGE 8 FOR DIAGRAM OF CABINET DIMENSIONS AND EXAMPLE OF PROFILES
SEE PAGE 14 TO VIEW DOOR STYLES



CAVALIER SERIES: DECORATIVE BRONZE OR BRASS

FIRE-FX-2 UP TO 2 HR



1085V10
US10B Oil Rubbed
Bronze

1045V10
US10 Satin
Bronze

PRODUCT DETAILS:

Select the beauty and lustrous finishes of bronze or brass to add that upscale look to your next project

Trim & Door Material: Bronze or brass

Trim & Door Finish: US10 Satin bronze, US10B oil-rubbed bronze or US3 polished brass

Tub Material: Cold rolled steel with white powder coat. Surface mount models match trim material.

Door Pulls: Material matches finish

ADDITIONAL OPTIONS

Trim & Door Material: US9 - Bright Polished Bronze, US4 - Satin Brass

CLEAR VU SERIES: ACRYLIC BUBBLE

FIRE-FX-2 UP TO 2 HR



1535G25

1515F25

PRODUCT DETAILS:

An attractive bubble cabinet for one or two fire extinguishers with five material options to match the decor

Trim & Door Material: Cold rolled steel, 304 stainless steel, aluminum, bronze or brass

Finish: White powder coat, #4 stainless, clear anodized aluminum, US10 satin bronze or US3 polished brass

Bubble: Acrylic bubble allows 180° extinguisher visibility. 2-½" projection for 1500 Series, 3-½" projection for 2500 and 4500 Series.


Tub: Constructed of cold rolled steel with white powder coat finish. Surface mount cabinets match trim material. Extinguisher must be mounted to back of tub using J-hook.




ADDITIONAL OPTIONS

Trim & Door Material: US9 - Bright Polished Bronze, US4 - Satin Brass, Dark Anodized Aluminum, or #6, #7, #8 Stainless Steel

CABINET PROFILES - AMBASSADOR, ACADEMY, COSMOPOLITAN, PANORAMA, CAVALIER

TRIM STYLE & PROJECTION							
RECESSED	SEMI-RECESSED					SURFACE-MOUNT	
3/8" Flat Square	1-¼" or 1-½" Square	2-¼" Square	2-½" or 3" Rolled	4" Rolled w/ Rec. Hndl	4-½" Rolled	5-½" to 8-¼" Square	5-½" to 8-¼" Rolled



HANDLE LOCATIONS									
STANDARD PULL		RECESSED PULL		STANDARD PULL		RECESSED PULL			
NO LOCK					SAF-T-LOK				
	CENTERED		CENTERED			CENTERED		CENTERED	



CAVALIER

COMPATIBLE EXTINGUISHERS	US10 SATIN BRONZE	US10B OIL-RUBBED BRONZE	US3 POLISHED BRASS	TRIM PROJECTION	TUB I.D.			FRAME O.D.		WALL OPENING: NON-RATED [FIRE-RATED]		
					A (W)	B (H)	C (D)	E	F	WIDTH	HEIGHT	DEPTH
Cosmic 2.5-6 Galaxy 2.5-5.5 Mercury 2.5-5 (Mount 6 lb to tub)	1845	1885	1855	3/8" Flat Trim								5-3/8" [6-7/16"]
	1846	1886	1856	1-1/2" Square	10-1/2"	24"	5-1/2"	13-7/8"	27-3/8"	11-1/2" [12-13/16"]	25" [26-5/16"]	4-1/8" [5-3/16"]
	1847	1887	1857	3" Rolled								2-5/8" [3-5/8"]
Cosmic 2.5-10 Galaxy 2.5-10 Mercury 2.5-5 Sentinel 5	1045	1085	1055	3/8" Flat Trim								5-7/8" [6-15/16"]
	1046	1086	1056	1-1/2" Square	10-1/2"	24"	6"			11-1/2" [12-13/16"]	25" [26-5/16"]	4-5/8" [5-11/16"]
	1047	1087	1057	3" Rolled				13-7/8"	27-3/8"			3-1/8" [4"]
	1043	1083	1053	Surface Mount	13-11/16"	27-3/16"	6-1/2"			-	-	-
Any Cosmic* Any Galaxy* Any Mercury Any Saturn Grenadier Sentinel 5-10 Nebula 270	2045	2085	2055	3/8" Flat Trim								7-5/8" [8-11/16"]
	2046	2086	2056	1-1/4" Square	12"	27"	7-3/4"	15-3/8"	30-3/8"	13" [14-5/16"]	28" [29-5/16"]	6-5/8" [7-11/16"]
	2043	2083	2053	Surface Mount	15-3/16"	30-3/16"	8"	15-3/8"	30-3/8"	-	-	-

*Cosmic 20 & Galaxy 20 extinguisher must be mounted on the back of the cabinet tub

CLEAR VU

COMPATIBLE EXTINGUISHERS	STEEL	ALUMINUM*	STAINLESS STEEL	US10 SATIN BRONZE	US3 POLISHED BRASS	TRIM PROJECTION	TUB I.D.			FRAME O.D.		WALL OPENING: NON-RATED [FIRE-RATED]		
							A (W)	B (H)	C (D)	E	F	WIDTH	HEIGHT	DEPTH
Cosmic 2.5-10** Galaxy 2.5-10** Mercury 2.5-5** Sentinel 5**	1515	1525	1535	1545	1555	Flat Trim								3-7/8" [4-15/16"]
	1516	1526	1536	1546	1556	1-1/2" Square	10-1/2"	24"	4"	13-7/8"	27-3/8"	11-1/2" [12-13/16"]	25" [26-5/16"]	2-5/8" [3-11/16"]
	1517	1527	1537	1547	1557	3" Rolled								1-1/8" [2-3/16"]
	1513	1523	1533	1543	1553	Surf. Mtd.	13-11/16"	27-3/16"	4-1/2"	13-7/8"	27-3/8"	-	-	-
Cosmic Galaxy Mercury Sentinel 5-15 Saturn Grenadier Nebula 250-272 (20lb Cosmic & Galaxy mounted on back of tub)	2515	2525	2535	2545	2555	Flat Trim								3-7/8" [4-15/16"]
	2516	2526	2536	2546	2556	1-1/4" Square	14"	30"	4"	17-3/8"	33-3/8"	15" [16-5/16"]	31" [32-3/16"]	2-7/8" [3-15/16"]
	2517	2527*	2537	-	-	2-1/2" Rolled								1-5/8" [2-11/16"]*
	2513	2523	2533	2543	2553	Surf. Mtd.	17-3/16"	33-3/16"	4-1/2"	17-3/8"	33-3/8"	-	-	-
(2) Cosmic 2.5-10** (2) Galaxy 2.5-10** (2) Mercury 2.5-15** (2) Sentinel 5** (2) Grenadier** Nebula 270, 272** Saturn**	4515	4525	4535	-	-	Flat Trim Double Door	28"	30"	4"	31-3/8"	33-3/8"	29"	31"	3-7/8"
	4513	4523	4533	-	-	Surf. Mtd. Double Door	31-3/16"	33-3/16"	4-1/2"	31-3/8"	33-3/8"	-	-	-

*Add 5/8" to wall depth for a cabinet with an aluminum frame. 4500 series consist of a double door design.

**Extinguisher must be mounted on the back of the cabinet tub

TRIM PROJECTION CLEAR VU					
3/8" Flat Square	1-1/4" or 1-1/2" Square	2-1/4" Square	2-1/2" or 3" Rolled	5-1/2" to 8-1/4" Square	5-1/2" to 8-1/4" Rolled



Clear Vu - 1535G27, 1527F25, 1513F25, 1535G26



EMBASSY SERIES: DECORATIVE TRIMLESS RECESSED

FIRE-FX-2 UP TO 2 HR

PRODUCT DETAILS:

Recessed Embassy cabinets are always ADA-compliant; are offered in five attractive materials and several door styles. Embassy cabinets are available for fire extinguishers and valve and hose cabinets.

Door Construction: Cabinet doors are available cold rolled steel, 304 stainless steel, aluminum, brass or bronze. Doors feature two concealed hinges, concealed handle and roller catch or standard pull handle if Saf-T-Lok is installed.

Door Finish: White powder coat finish, stainless steel #4, clear anodized aluminum, US10 satin bronze, or US3 polished brass

Tub: Constructed of cold rolled steel with white powder coat finish

Options at Additional Cost: U10B oil-rubbed bronze



ORBIT SERIES: LOW PROFILE FOR ORBIT EXTINGUISHERS

FIRE-FX-2 UP TO 2 HR

PRODUCT DETAILS:

Trim & Door Finish: White powder coat finish, stainless steel #4, clear anodized aluminum, US10 satin bronze, or US3 polished brass

Tub: Constructed of cold rolled steel with white powder coat finish. Tub fits only the Orbit model FE10V extinguisher.

Options at Additional Cost: U10B oil-rubbed bronze



ROYAL SERIES: FIRE BLANKET / CABINET

FIRE-FX-2 UP TO 2 HR

PRODUCT DETAILS:

3600 Combination Extinguisher & Blanket Cabinet: Door & trim choices for steel, anodized aluminum or 304 stainless steel #4 finish with ten door styles to choose from. Five recessed cabinet configurations and a surface mount version provide plenty of installation options. Includes shelf for blanket and flush cabinet door with continuous hinge, zinc plated pull and roller catch. Door options include full glazing, vertical duo or solid door. Cabinet also available fire-rated.

Roller Blanket Cabinet: Model C9519S21 is a steel roller-type cabinet for emergency use. The enclosed blanket is attached to the vertical roller and comes with arm loops to enable a person to wrap themselves in the blanket in one continuous motion.

Drop Blanket Cabinet: Model C9613S21 is a handy "drop" type steel cabinet with a folded blanket. Handle is pulled down to open the bottom mounted door, which then releases the blanket.

Blanket: Nominal 62" x 80", 2.75 lb, processed wool/synthetic fire blanket which meets the Flammable Fabrics Act: Title 16, CFR 1610



EMBASSY

COMPATIBLE EXTINGUISHERS FD VALVES & HOSE RACKS	STEEL	ALUMINUM	STAINLESS STEEL	US10 SATIN BRONZE	US3 POLISHED BRASS	TUB I.D.			DOOR O.D.		WALL OPENING: NON-RATED [FIRE-RATED]		
						A (W)	B (H)	C (D)	E	F	WIDTH	HEIGHT	DEPTH
Cosmic 2.5-10 Galaxy 2.5-10 Mercury 2.5-5 Sentinel 5	5614	5624	5634	5644	5654	10-1/2"	24"	5-3/4"	12-3/4" [13-3/4"]	26-1/4" [27-1/4"]	11-1/2" [12-13/16"]	25" [26-5/16"]	5-7/8" [6-15/16"]
Cosmic** Galaxy** Mercury Saturn Grenadier Sentinel 5-15 Nebula 250-272	5714	5724	5734	5744	5754	16"	32"	7-3/4"	18-1/4" [19-1/4"]	34-1/4" [35-1/4"]	17" [18-5/16"]	33" [34-5/16"]	7-7/8" [8-15/16"]
FIRE DEPARTMENT VALVE, HOSE & EXTINGUISHER CABINETS													
1-1/2" or 2-1/2" Fire Dept Valve Left and right K.O.'s centered On on each side, 4" from back †	5514	5524	5534	-	-	18"	18"	7-3/4"	20-1/4" [21-1/4"]	20-1/4" [21-1/4"]	19" [20-5/16"]	19" [20-5/16"]	7-7/8" [8-15/16"]
1-1/2" or 2-1/2" Rack Unit & 2-1/2" Fire Dept Valve or *Cosmic or *Galaxy Fire Extinguisher 2 Left side K.O.'s 4" from back, top & bottom †	5814	5824	5834	-	-	32"	32"	7-3/4"	34-1/4" [35-1/4"]	34-1/4" [35-1/4"]	33" [34-5/16"]	33" [34-5/16"]	7-7/8" [8-15/16"]
2-1/2" Fire Department Valve Any Cosmic, Galaxy, Mercury, Saturn Grenadier Sentinel 5 & 10 Nebula 270 Left & right K.O.'s 4" from bottom †	5914	5924	5934	-	-	16"	40"	8-3/4"	18-1/4" [19-1/4"]	42-1/4" [43-1/4"]	17" [18-5/16"]	41" [42-5/16"]	8-7/8" [9-15/16"]

**Cosmic 20 & Galaxy 20 extinguisher must be mounted on the back of the cabinet tub.

† Knockouts not available on Fire-Rated Cabinets

ORBIT

COMPATIBLE EXTINGUISHERS	STEEL	ALUMINUM	STAINLESS STEEL	US10 SATIN BRONZE	US3 POLISHED BRASS	TRIM PROJECTION	TUB I.D.			FRAME O.D.		WALL OPENING: NON-RATED [FIRE-RATED]		
							W	H	D	E	F	W	H	D
Orbit FE10V	2115	2125	2135	2145	2155	3/8" Flat Trim	12"	27"	3-1/8"	15-3/8"	30-3/8"	13" [14-5/16"]	28" [29-5/16"]	3-1/4" [4"]
	2119	-	2139	-	-	Surface Mount, Flush Pull	15-1/4"	30-1/4"	3-11/16"	15-3/8"	30-3/8"	-	-	-

ROYAL 3600 SERIES

COMPATIBLE EXTINGUISHERS	STEEL	ALUMINUM	STAINLESS	TRIM PROJECTION	TUB I.D.			FRAME O.D.		WALL OPENING: NON-RATED [FIRE-RATED]		
					W	H	D	E	F	W	H	D
Cosmic	3615	3625	3635	Flat Trim	12"	36"	8"	15-3/8"	39-3/8"	13" [14-5/16"]	37" [38-5/16"]	7-7/8" [8-15/16"]
Galaxy	3616	3626	3636	1-1/4" Square								6-7/8" [7-15/16"]
Mercury 2.5-15	3617	3627*	3637	2-1/2" Rolled								5-5/8" [6-11/16"]*
Sentinel 5-10	3612	3622*	3632	4" Rolled, Flush Pull								4-3/8" [5-3/8"]*
Saturn	3618	3628*	3638	4-1/2" Rolled								3-5/8" [4-11/16"]*
Nebula 270	3613	3623	3633	Surface Mounted	15-3/16"	39-3/16"	8-1/2"	15-3/8"	39-3/8"	-	-	-
Grenadier												

*Add 5/8" wall depth for cabinets with aluminum frames.



8515F10

CROWNLINE 6000-7200 SERIES: FD VALVES/HOSES/EXTINGUISHERS



FIRE-FX-2 UP TO 2 HR

PRODUCT DETAILS:

Trim & Door Material: Cold rolled steel, 304 stainless steel or aluminum

Finish: White powder coat, #4 stainless, clear anodized aluminum

Tub: White powder coated cold rolled steel. Surface mount models are same material as door & trim.

Trim Style and Depth: Rolled edge aluminum trim is formed of extrusions. Surface mount steel and aluminum have square edge, stainless models have rolled edge.

RECOMMENDED HOSE RACK, VALVE, AND EXTINGUISHERS	STEEL	ALUMINUM	STAINLESS STEEL	TRIM PROJECTION	TUB I.D.			FRAME O.D.		WALL OPENING: NON-RATED [FIRE-RATED]		
					A (W)	B (H)	C (D)	E	F	WIDTH	HEIGHT	DEPTH
50' or 75' - 1-1/2" x 1-1/2" HOSE RACK HRA050B or HRA050CH HRA075B or HRA075CH	6014W	6024W	6034W	Trimless 5/8" Drywall†				-	-			6-1/8" [6-1/16"]
	6015	6025	6035	Flat Trim	24"	30"	6"			25"	31"	5-7/8" [6-1/16"]
	6016	6026	6036	1-1/4" Square				27-3/8"	33-3/8"	[26-5/16"]	[32-5/16"]	4-7/8" [5-1/16"]
	6017	6027	6037	2-1/2" Rolled								3-5/8" [4-1/16"]*
	6013	6023	6039**	Surface Mount	27-3/16"	33-3/16"	6-1/2"			-	-	-
50' or 75' - 2-1/2" x 1-1/2" HOSE RACK: H4A050B-2.5 HRA075B-2.5	6114W	6124W	6134W	Trimless 5/8" Drywall†				-	-			8-1/8" [8-1/16"]
	6115	6125	6135	Flat Trim	24"	30"	8"			25"	31"	7-7/8" [8-1/16"]
	6116	6126	6136	1-1/4" Square				27-3/8"	33-3/8"	[26-5/16"]	[32-5/16"]	6-7/8" [7-1/16"]
	6117	6127	6137	2-1/2" Rolled								5-5/8" [6-1/16"]*
	6113	6123	6139**	Surface Mount	27-3/16"	33-3/16"	8-1/2"			-	-	-
100' - 1-1/2" x 1-1/2" HOSE RACK: HRA100B HRA100CH	6214W	6224W	6234W	Trimless 5/8" Drywall†				-	-			6-1/8" [6-1/16"]
	6215	6225	6235	Flat Trim	24"	34-3/4"	6"			25"	35-3/4"	5-7/8" [6-1/16"]
	6216	6226	6236	1-1/4" Square				27-3/8"	38-1/8"	[26-5/16"]	[37-1/16"]	4-7/8" [5-1/16"]
	6217	6227	6237	2-1/2" Rolled								3-5/8" [4-1/16"]*
	6213	6223	6239**	Surface Mount	27-3/16"	37-1/16"	6-1/2"			-	-	-
100' - 2-1/2" x 1-1/2" HOSE RACK: HRA 100B-2.5	6414W	6424W	6434W	Trimless 5/8" Drywall†				-	-			8-1/8" [8-1/16"]
	6415	6425	6435	Flat Trim	24"	34-3/4"	8"			25"	35-3/4"	7-7/8" [8-1/16"]
	6416	6426	6436	1-1/4" Square				27-3/8"	38-1/8"	[26-5/16"]	[37-1/16"]	6-7/8" [7-1/16"]
	6417	6427	6437	2-1/2" Rolled								5-5/8" [6-1/16"]*
	6413	6423	6439**	Surface Mount	27-3/16"	37-1/16"	8-1/2"			-	-	-
125' - 2-1/2" x 1-1/2" HOSE RACK: HRA 125B-2.5	6614W	6624W	6634W	Trimless 5/8" Drywall†				-	-			8-1/8" [8-1/16"]
	6615	6625	6635	Flat Trim	24"	38-3/4"	8"			25"	39-3/4"	7-7/8" [8-1/16"]
	6616	6626	6636	1-1/4" Square				27-3/8"	42-1/8"	[26-5/16"]	[41-1/16"]	6-7/8" [7-1/16"]
	6617	6627	6637	2-1/2" Rolled								5-5/8" [6-1/16"]*
	6613	6623	6639**	Surface Mount	27-3/16"	41-1/16"	8-1/2"			-	-	-
50' or 75' - 2-1/2" x 1-1/2" HOSE RACK: FD Valve 1-1/2" or 2-1/2" Valve OR EXTINGUISHER: Any Extinguisher (Except Cosmic FE20A, Galaxy FG20A, Nebula 250-272)	6314W	6324W	6334W	Trimless 5/8" Drywall†				-	-			8-1/8" [8-1/16"]
	6315	6325	6335	Flat Trim	30"	30"	8"			31"	31"	7-7/8" [8-1/16"]
	6316	6326	6336	1-1/4" Square				33-3/8"	33-3/8"	[32-5/16"]	[32-5/16"]	6-7/8" [7-1/16"]
	6317	6327	6337	2-1/2" Rolled								5-5/8" [6-1/16"]*
	6313	6323	6339**	Surface Mount	33-3/16"	33-3/16"	8-1/2"			-	-	-
HOSE RACK & FD VALVE OR EXTINGUISHER: 1-1/2" or 2-1/2" Valve, 100' Hose Rack Unit Plus FD Valve or Extinguisher (Not Sentinel 20, Nebula 250)	6514W	6524W	6534W	Trimless 5/8" Drywall†				-	-			8-1/8" [8-1/16"]
	6515	6525	6535	Flat Trim	32-3/4"	34-3/4"	8"			33-3/4"	35-3/4"	7-7/8" [8-1/16"]
	6516	6526	6536	1-1/4" Square				36-1/8"	38-1/8"	[35-1/16"]	[37-1/16"]	6-7/8" [7-1/16"]
	6517	6527	6537	2-1/2" Rolled								5-5/8" [6-1/16"]*
	6513	6523	6539**	Surface Mount	35-1/16"	37-1/16"	8-1/2"			-	-	-
HOSE RACK & FD VALVE OR EXTINGUISHER: 1-1/2" or 2-1/2" Valve, 125' Hose Rack Unit Plus FD Valve or Extinguisher (Not Sentinel 20, Nebula 250)	7214W	7224W	7234W	Trimless 5/8" Drywall†				-	-			8-1/8" [8-1/16"]
	7215	7225	7235	Flat Trim	32-3/4"	38-3/4"	8"			33-3/4"	39-3/4"	7-7/8" [8-1/16"]
	7216	7226	7236	1-1/4" Square				36-1/8"	42-1/8"	[35-1/16"]	[41-1/16"]	6-7/8" [7-1/16"]
	7217	7227	7237	2-1/2" Rolled								5-5/8" [6-1/16"]*
	7213	7223	7239**	Surface Mount	35-1/16"	41-1/16"	8-1/2"			-	-	-

*Add 5/8" wall depth for cabinets with aluminum frames. ‡ Trimless models may be installed before drywall. ** Rolled edge
See submittal and installation instructions for more information and knockout locations.



CROWNLINE 8000 SERIES: FD VALVES/HOSES/EXTINGUISHERS



FIRE-FX-2 UP TO 2 HR

PRODUCT DETAILS:

Trim & Door Material: Cold rolled steel, 304 stainless steel or aluminum

Finish: White powder coat, #4 stainless, clear anodized aluminum

Tub: White powder coated cold rolled steel. Surface mount models are same material as door & trim.

Trim Style and Depth: Rolled edge aluminum trim is formed of extrusions. Surface mount steel and aluminum have square edge, stainless models have rolled edge.



8516V10

RECOMMENDED HOSE RACK, VALVE, AND EXTINGUISHERS	STEEL	ALUMINUM	STAINLESS STEEL	TRIM PROJECTION	TUB I.D.			FRAME O.D.		WALL OPENING: NON-RATED [FIRE-RATED]		
					A (W)	B (H)	C (D)	E	F	WIDTH	HEIGHT	DEPTH
FIRE DEPARTMENT VALVE 1-½" or 2-½" Fire Department Valve with Cap and Chain	8514W	8524W	8534W	Trimless 5/8" Drywall†				-	-			8-½" [8-11⁄16"]
	8515	8525	8535	Flat Trim	18"	18"	8"			19"	19"	7-7⁄8" [8-15⁄16"]
	8516	8526	8536	1-¼" Square				21-3⁄8"	21-3⁄8"	[20-5⁄16"]	[20-9⁄16"]	6-7⁄8" [7-15⁄16"]
	8517	8527	8537	2-½" Rolled								5-5⁄8" [6-11⁄16"]*
	8513	8523	8539**	Surface Mount	21-3⁄16"	21-3⁄16"	8-½"			-	-	-
	8414W	8424W	8434W	Trimless 5/8" Drywall†				-	-			10-1⁄8" [10-11⁄16"]
	8415	8425	8435	Flat Trim	18"	18"	10"			19"	19"	9-7⁄8" [10-15⁄16"]
	8416	8426	8436	1-¼" Square				21-3⁄8"	21-3⁄8"	[20-5⁄16"]	[20-9⁄16"]	8-7⁄8" [9-15⁄16"]
	8417	8427	8437	2-½" Rolled								7-5⁄8" [8-11⁄16"]*
	8413	8423	8439**	Surface Mount	21-3⁄16"	21-3⁄16"	10-½"			-	-	-
2 FIRE DEPARTMENT VALVES: 1-½" or 2-½" Fire Department Valve with Cap and Chain Plus OR 1 FIRE DEPARTMENT VALVE & EXTINGUISHER: Cosmic 2-½ - 10 Galaxy 2-½ - 10 Mercury 2-½ - 5	8714W	8724W	8734W	Trimless 5/8" Drywall†				-	-			8-½" [8-11⁄16"]
	8715	8725	8735	Flat Trim	26"	26"	8"			27"	27"	7-7⁄8" [8-15⁄16"]
	8716	8726	8736	1-¼" Square				29-3⁄8"	29-3⁄8"	[28-5⁄16"]	[28-9⁄16"]	6-7⁄8" [7-15⁄16"]
	8717	8727	8737	2-½" Rolled								5-5⁄8" [6-11⁄16"]*
	8713	8723	8739**	Surface Mount	29-3⁄16"	29-3⁄16"	8-½"			-	-	-
	8614W	8624W	8634W	Trimless 5/8" Drywall†				-	-			10-1⁄8" [10-11⁄16"]
	8615	8625	8635	Flat Trim	26"	26"	10"			27"	27"	9-7⁄8" [10-15⁄16"]
	8616	8626	8636	1-¼" Square				29-3⁄8"	29-3⁄8"	[28-5⁄16"]	[28-9⁄16"]	8-7⁄8" [9-15⁄16"]
	8617	8627	8637	2-½" Rolled								7-5⁄8" [8-11⁄16"]*
	8613	8623	8639**	Surface Mount	29-3⁄16"	29-3⁄16"	10-½"			-	-	-
DUAL CABINET: FD VALVE PLUS EXTINGUISHER :	8014W	8024W	8034W	Trimless 5/8" Drywall†				-	-			9-1⁄8" [9-11⁄16"]
	8015	8025	8035	Flat Trim	16"	40"	9"			17"	41"	8-7⁄8" [9-15⁄16"]
	8016	8026	8036	1-¼" Square				19-3⁄8"	43-3⁄8"	[18-5⁄16"]	[42-5⁄16"]	7-7⁄8" [8-15⁄16"]
	8017	8027	8037	2-½" Rolled								6-5⁄8" [7-11⁄16"]*
	8013	8023	8039**	Surface Mount	19-3⁄16"	43-3⁄16"	9-½"			-	-	-

*Add 5/8" wall depth for cabinets with aluminum frames. † Trimless models may be installed before drywall. ** Rolled edge
See submittal and installation instructions for more information and knockout locations.



6415F10
with Optional Fire Hose



6335G17
with Etched Frosted Glass



6535V10




ARCHITECTURAL DOOR STYLES

	Solid	Full Glass	Vertical Duo	Horizontal Duo	Centered Horizontal Duo	Small Window	Textured Panorama	Clear Panorama
Standard Pull	S21	F	V	D	Option Not Available		P	C70
Standard Pull & Saf-T-Lok	L22	G	W	E	A*	B	Q	C71
Recessed Pull	S21A	F_A	V_A	D_A	Option Not Available		P_A	
Recessed Pull & Saf-T-Lok	L22A	G_A	W_A	E_A	A_A*	B_A	Q_A	
Other L24 Solid Saf-T-Lok™, no handle								
Glazing	10 Clear Acrylic	13 WireShield	15 Bronze Acrylic	16 Gray Acrylic	17 Clear Tempered	18 Laminated Safety		
ClearVu Glazing	25 Clear Acrylic	26 Red Acrylic**	27 Bronze Acrylic	Panorama P&Q Glazing	40-43 Vertical Lettering	45-48 Horizontal Lettering	50-53 Ascending Lettering	

* Crownline Option

**Red bubble only available on 15xx bubble cabinets

See pages 28-31 for Handles, Locks, Lettering, Signage & Alarms



TUB SIZE—TWO DIGITS							
Ambassador, Academy, Cosmopolitan, Cavalier, Panorama		Embassy		Crownline		AED CABINETS	
81	9" x 18" x 5-½"	56	10-½" x 24" x 5-¾"	60	24" x 30" x 6"	14	14" x 14" x 6-¾"
17	10-½" x 24" x 5"	57	16" x 32" x 7-¾"	61	24" x 30" x 8"	19	18" x 18" x 8"
18	10-½" x 24" x 5-½"	59	16" x 40" x 8-¾"	62	24" x 34-¾" x 6"	79	14" x 37" x 7"
10	10-½" x 24" x 6"	55	18" x 18" x 7-¾"	64	24" x 34-¾" x 8"	Royal 3600 Series	
20	12" x 27" x 7-¾"	58*	32" x 32" x 7-¾"	66	24" x 38-¾" x 8"		
30*	16" x 32" x 7-¾"	Orbit		63	30" x 30" x 8"		
40*	20" x 27" x 7-¾"			65	32-¾" x 34-¾" x 8"	36	12" x 36" x 8"
Clear Vu		21	12" x 27" x 3-¼"	72	32-¾" x 38-¾" x 8"		
				85	18" x 18" x 8"		
15	10-½" x 24" x 4"			84	18" x 18" x 10"		
25	14" x 30" x 4"			87	26" x 26" x 8"		
45*	28" x 30" x 4"			86	26" x 26" x 10"		
				80	16" x 40" x 9"		

Note: For surface mount cabinets, add 3 3/16" to width and height measurements. See product page for wall opening dimensions.

DOOR/TRIM MATERIAL—ONE DIGIT		TRIM PROJECTION - ONE DIGIT	
1	Cold Rolled Steel, White powdercoat finish	2	Semi-Recessed 4" Rolled edge With Flush Pull
2	Aluminum, #180 clear satin anodized finish	3	Surface Mount Square edge
3	Stainless Steel, #4 satin finish	4	Trimless recessed flange For 5/8" Drywall or 3/4" Plaster
4	Bronze, US10 satin clear coated finish	5	Full recessed 3/8" Square edge
5	Brass, US3 polished coated finish	6	Semi-recessed 1-¼" or 1-½" Square edge
7	Brass, US4 Satin	7	Semi-recessed 2-½" or 3" Rolled edge
8	Bronze, US10B Oil-rubbed	8	Semi-recessed 4-½" Rolled edge
9	Aluminum, Dark Bronze Anodized	9	Surface mount Rolled edge

***Note:** Bronze and brass are not available in 30, 40, 45, or 58 tub sizes.

Note: Bronze and brass are not available in #8, 9 or 2 trim depths.

DOOR STYLES - ONE DIGIT EXCEPT L22, S21 & L24			
STANDARD DOORS		PANORAMA DOORS	
F	Full glazing, pull handle	G	Full glazing, pull handle, Saf-T-Lok™
V	Vertical Duo, pull handle	W	Vertical Duo, pull handle, Saf-T-Lok™
D	Horizontal Duo panel, pull handle	E	Horizontal Duo panel, pull handle, Saf-T-Lok™
S21	Solid (no glazing), pull handle	L22	Solid (no glazing), pull handle, Saf-T-Lok™
L24	Solid (no glazing), Saf-T-Lok™, no handle	B10	Small Acrylic, pull handle, Saf-T-Lok™
		A	Centered Duo panel, pull handle, Saf-T-Lok™
		P	Colored acrylic, pull handle
		Q	Colored acrylic, pull handle, Saf-T-Lok™
		C70	Framless 3/16" clear polycarbonate, with pull handle
		C71	Framless 3/16" clear polycarbonate, with pull handle & Saf-T-Lok™

DOOR GLAZING					
FOR STANDARD DOORS		FOR PANORAMA DOOR STYLE P&Q 3/16" ACRYLIC		FOR PANORAMA DOOR STYLE C	
10	0.090" Clear acrylic	40	Black acrylic with white vertical letters	70	Clear polycarbonate
13	1/4" Clear wire w/safety film	41	Red acrylic with white vertical letters	71	3/16" Clear polycarbonate with Saf-T-Lok™
15	1/8" Bronze acrylic	42	White acrylic with black vertical letters		
16	1/8" Gray acrylic	43	White acrylic with red vertical letters		
17	1/8" Clear tempered glass	45	Black acrylic with white horizontal letters		
18	1/4" Clear safety glass	46	Red acrylic with white horizontal letters		
		47	White acrylic with black horizontal letters		
		48	White acrylic with red horizontal letters		
		50	Black acrylic with white ascending letters		
		51	Red acrylic with white ascending letters		
		52	White acrylic with black ascending letters		
		53	White acrylic with red ascending letters		
				25	Clear Bubble
				26	Red Bubble
				27	Bronze Bubble